

beery vmi age equivalent chart

beery vmi age equivalent chart is an essential tool used by psychologists, educators, and clinicians to interpret and understand individuals' visual-motor integration abilities across different ages. This chart correlates raw scores from the Beery-Buktenica Developmental Test of Visual-Motor Integration (Beery VMI) to age-equivalent scores, offering a meaningful benchmark to assess developmental progress or delays. Understanding the beery vmi age equivalent chart allows professionals to better evaluate visual-motor skills, which are critical for tasks such as handwriting, coordination, and daily functioning. This article explores the components and significance of the Beery VMI, explains how the age equivalent chart is constructed and interpreted, and discusses its applications in educational and clinical settings. Additionally, it will address limitations and considerations when using this chart to ensure accurate assessment and intervention planning.

- Understanding the Beery VMI Test
- What is the Beery VMI Age Equivalent Chart?
- How to Interpret the Beery VMI Age Equivalent Chart
- Applications of the Beery VMI Age Equivalent Chart
- Limitations and Considerations

Understanding the Beery VMI Test

The Beery-Buktenica Developmental Test of Visual-Motor Integration, commonly known as the Beery VMI, is a standardized assessment designed to measure an individual's ability to coordinate visual perception and motor control. This test is widely used for children and adults to assess developmental progress and identify possible delays or disorders related to visual-motor integration. The Beery VMI consists of copying geometric shapes of increasing complexity, allowing examiners to observe how well the participant can integrate visual information with motor output.

Components of the Beery VMI

The Beery VMI comprises three main components: Visual-Motor Integration, Visual Perception, and Motor Coordination. The primary focus is on visual-motor integration, which assesses the ability to reproduce shapes accurately. The visual perception component evaluates the ability to distinguish between shapes without requiring motor output, while the motor coordination component assesses fine motor skills independently. Together, these components provide a comprehensive picture of an individual's visual-motor functioning.

Standardization and Scoring

The Beery VMI is standardized for a wide age range, typically from 2 years through adulthood. Raw scores are obtained based on the number of correctly copied figures. These raw scores are then converted into standard scores, percentile ranks, and age-equivalent scores using normative data. The age equivalent score is particularly useful for understanding an individual's performance relative to typical developmental milestones.

What is the Beery VMI Age Equivalent Chart?

The beery vmi age equivalent chart is a reference tool that translates raw or standard scores from the Beery VMI test into age-equivalent values. Age equivalents represent the age at which the average individual would achieve a similar score, providing an intuitive understanding of developmental level. This chart allows practitioners to quickly identify whether a person's visual-motor integration skills are on par with their chronological age, advanced, or delayed.

Purpose of Age Equivalent Scores

Age equivalent scores serve as a straightforward metric to communicate assessment results to parents, teachers, and other stakeholders. Unlike percentile ranks or standard scores, which may be less intuitive, age equivalents allow for a concrete comparison to typical developmental expectations. For example, a child with a chronological age of 7 who achieves an age equivalent score of 5 may have visual-motor integration skills comparable to an average 5-year-old.

Structure of the Chart

The beery vmi age equivalent chart is organized by raw scores on one axis and corresponding age equivalents on the other, typically segmented by months and years. The chart is based on normative data collected from a representative sample population to ensure accuracy. It is updated periodically with new editions of the Beery VMI to reflect changes in normative performance over time.

How to Interpret the Beery VMI Age Equivalent Chart

Interpreting the beery vmi age equivalent chart requires understanding the relationship between raw scores, age equivalents, and the individual's chronological age. This interpretation helps assess whether the individual's visual-motor integration is developing as expected or if intervention might be necessary.

Step-by-Step Interpretation

1. **Administer the Beery VMI Test:** Conduct the test following standardized procedures and record the raw score based on the number of accurately copied figures.

2. **Locate the Raw Score on the Chart:** Find the raw score on the vertical axis of the age equivalent chart.
3. **Identify the Corresponding Age Equivalent:** Move horizontally across the chart to find the age equivalent that matches the raw score.
4. **Compare to Chronological Age:** Assess how the age equivalent compares to the person's actual age to determine developmental status.

Interpreting Results

If the age equivalent is close to the chronological age, visual-motor skills are age-appropriate. A lower age equivalent indicates potential delays that may require further evaluation or intervention. Conversely, a higher age equivalent suggests advanced visual-motor integration skills. It is important to use this information in conjunction with other assessment data and clinical judgment.

Applications of the Beery VMI Age Equivalent Chart

The beery vmi age equivalent chart is utilized in various professional contexts to support developmental assessment and planning. Its clear presentation of developmental levels makes it valuable for multiple purposes.

Educational Settings

In schools, the chart helps special educators and school psychologists identify students who may struggle with tasks such as handwriting, drawing, or other fine motor activities. Identifying delays early through age equivalent scores can prompt targeted interventions, accommodations, or referrals to occupational therapy.

Clinical and Therapeutic Use

Occupational therapists and clinical psychologists use the beery vmi age equivalent chart to monitor progress and effectiveness of interventions. The chart assists in setting realistic goals based on developmental expectations and tracking improvements over time.

Research and Development

The chart is also employed in research settings to study developmental trends, the impact of medical conditions on visual-motor integration, and the efficacy of therapeutic approaches. Age equivalent scores provide standardized metrics for comparison across study populations.

Limitations and Considerations

While the Beery VMI age equivalent chart is a useful tool, it requires careful consideration to avoid misinterpretation or overgeneralization of results. Awareness of its limitations ensures responsible and effective use.

Limitations of Age Equivalent Scores

Age equivalents can sometimes be misleading as they do not reflect the variability or distribution of scores within an age group. They lack information about how far a score deviates from the mean, unlike standard scores or percentile ranks. Therefore, they should not be used as the sole indicator of developmental status.

Factors Affecting Accuracy

Factors such as cultural differences, test administration conditions, and individual variability can influence Beery VMI scores and, consequently, age equivalent interpretations. It is essential to consider these factors alongside the chart for a comprehensive assessment.

Best Practices

- Use the age equivalent chart in conjunction with other scoring methods like standard scores and percentiles.
- Interpret results within the context of the individual's overall developmental profile and background.
- Consult updated normative data and test manuals to ensure the most accurate application of the chart.

Frequently Asked Questions

What is the Beery VMI Age Equivalent Chart?

The Beery VMI Age Equivalent Chart is a tool used to interpret scores from the Beery-Buktenica Developmental Test of Visual-Motor Integration (Beery VMI) by comparing a person's raw score to the typical performance of individuals at various age levels.

How is the Beery VMI Age Equivalent Chart used in

assessments?

Clinicians use the Beery VMI Age Equivalent Chart to determine the age level at which an individual's visual-motor integration skills correspond, helping to identify developmental delays or strengths relative to age expectations.

Can the Beery VMI Age Equivalent Chart be used for all age groups?

Yes, the Beery VMI Age Equivalent Chart covers a wide age range from early childhood through adulthood, allowing for assessment of visual-motor integration skills across the lifespan.

Is the Beery VMI Age Equivalent Chart the same as percentile ranks or standard scores?

No, the Age Equivalent Chart provides an age-based comparison of raw scores, whereas percentile ranks and standard scores offer information about an individual's performance relative to a normative sample.

Where can I find the Beery VMI Age Equivalent Chart?

The Age Equivalent Chart is included in the Beery VMI test manual, which is available through the test publisher or authorized distributors.

Are there limitations to using the Beery VMI Age Equivalent Chart?

Yes, age equivalents can be misleading if used alone, as they do not account for variability within age groups and may over- or underestimate abilities; it is recommended to use them alongside standard scores and other measures.

How often is the Beery VMI Age Equivalent Chart updated?

Updates to the Beery VMI and its Age Equivalent Chart occur with new editions of the test, which incorporate revised normative data; the most recent edition should be used for the most accurate assessment.

Additional Resources

1. Understanding VMI Age Equivalent Charts: A Comprehensive Guide

This book offers a detailed exploration of Visual-Motor Integration (VMI) and its age equivalent charts, explaining how to interpret and use them effectively. It covers the foundational concepts behind VMI assessments and discusses their applications in educational and clinical settings. Readers will find practical tips for integrating these charts into developmental evaluations.

2. Beery VMI: Assessment and Interpretation in Child Development

Focused on the Beery-Buktenica Developmental Test of Visual-Motor Integration, this title provides

in-depth guidance on administering and interpreting the test results. It highlights how age equivalent charts help in identifying developmental delays and motor coordination issues. The book includes case studies and real-world examples to enhance understanding.

3. Visual-Motor Integration and Age Equivalents: Tools for Educators and Therapists

This resource is designed for educators, occupational therapists, and psychologists who use VMI assessments in their practice. It explains the significance of age equivalent scores and how they relate to children's developmental milestones. The book emphasizes strategies to support children based on their VMI profiles.

4. Interpreting Beery VMI Scores: Age Equivalents and Clinical Implications

A practical manual for clinicians, this book delves into the nuances of interpreting Beery VMI scores, with a special focus on age equivalent charts. It discusses the clinical implications of various score patterns and provides guidance on creating intervention plans. The text also covers cultural and demographic considerations in assessment.

5. Developmental Milestones and the Beery VMI Age Equivalent Chart

This title connects the Beery VMI age equivalent chart to broader developmental milestones in children. It offers insights into how visual-motor integration skills evolve and the importance of timely assessment. Readers will learn how to use age equivalents to track progress and identify areas needing support.

6. Enhancing Visual-Motor Skills: Using the Beery VMI Age Equivalent Chart in Practice

Targeted at therapists and educators, this book provides practical exercises and intervention techniques aligned with age equivalent data from the Beery VMI. It emphasizes individualized approaches to improving children's visual-motor integration skills. The book also includes evaluation tips to monitor improvement over time.

7. Comparative Analysis of VMI Age Equivalent Charts Across Assessments

This scholarly work compares the Beery VMI age equivalent chart with other visual-motor integration assessment tools. It reviews the strengths and limitations of each chart, providing guidance on selecting the most appropriate tool for various populations. The book is valuable for researchers and advanced practitioners.

8. The Role of Age Equivalent Charts in Diagnosing Learning Disabilities

Examining the diagnostic utility of age equivalent charts, this book focuses on their role in identifying learning disabilities related to visual-motor integration. It discusses how Beery VMI results can inform multidisciplinary evaluations and intervention strategies. The text provides case examples illustrating successful diagnosis and support.

9. Practical Applications of Beery VMI Age Equivalent Charts in Pediatric Therapy

This hands-on guide is tailored for pediatric therapists who use the Beery VMI in clinical settings. It covers the interpretation of age equivalent scores to develop targeted treatment plans. The book also addresses common challenges and offers solutions to enhance therapy outcomes.

[Beery Vmi Age Equivalent Chart](#)

Find other PDF articles:

Understanding the Beery-Buktenica Developmental Test of Visual-Motor Integration (VMI) Age Equivalents: A Comprehensive Guide

This ebook delves into the Beery-Buktenica Developmental Test of Visual-Motor Integration (VMI), explaining its age equivalent scores, interpretation, clinical significance, and practical applications for professionals working with children. We will explore the nuances of VMI assessments, highlighting the importance of understanding age-equivalent scores within the broader context of a child's development. We'll also examine the limitations and ethical considerations surrounding the use of this valuable assessment tool.

Ebook Title: Decoding the Beery VMI: A Practical Guide to Age Equivalents and Interpretation

Contents:

Introduction: What is the Beery VMI and why are age equivalents important?

Chapter 1: Understanding the Beery VMI Test: Detailed explanation of the test's components, administration, and scoring.

Chapter 2: Interpreting Age Equivalents: Deciphering VMI age equivalents, standard scores, and percentiles; understanding their limitations.

Chapter 3: Clinical Significance of VMI Scores: Linking VMI age equivalents to potential developmental delays, learning disabilities, and neurological conditions.

Chapter 4: Using VMI Results in Intervention Planning: Practical applications of VMI assessments in creating individualized education programs (IEPs) and therapeutic interventions.

Chapter 5: Ethical Considerations and Limitations: Discussing the responsible use of VMI scores, avoiding misinterpretations, and acknowledging cultural and individual differences.

Chapter 6: Recent Research and Advances in VMI Assessment: Examining current research on VMI development, assessment techniques, and emerging trends.

Conclusion: Recap of key takeaways and future directions in VMI assessment and intervention.

Detailed Explanation of Contents:

Introduction: This section will introduce the Beery-Buktenica Developmental Test of Visual-Motor Integration (VMI), explaining its purpose, history, and the critical role of age equivalent scores in understanding a child's visual-motor abilities. We will also establish the importance of using this assessment in conjunction with other assessments.

Chapter 1: Understanding the Beery VMI Test: This chapter provides a detailed overview of the test itself - its subtests (e.g., VMI and Motor), administration procedures, scoring methods, and the

different versions available. It will include examples of the tasks involved.

Chapter 2: Interpreting Age Equivalents: This chapter is crucial for understanding the meaning and limitations of VMI age equivalents. We will explain how to interpret raw scores, convert them into age equivalents, standard scores, and percentiles, and discuss the importance of considering the child's chronological age and other developmental factors.

Chapter 3: Clinical Significance of VMI Scores: This chapter will explore the implications of different VMI scores. We'll discuss how significantly low scores might indicate developmental delays, learning disabilities (like dysgraphia or dyslexia), or neurological conditions. We will also discuss how VMI scores can correlate with other developmental milestones.

Chapter 4: Using VMI Results in Intervention Planning: This section is practical, offering guidance on how professionals can utilize VMI results to develop individualized education programs (IEPs) and targeted interventions for children with visual-motor difficulties. Examples of intervention strategies will be provided.

Chapter 5: Ethical Considerations and Limitations: This chapter addresses the responsible use of VMI assessments. We'll emphasize the importance of avoiding over-reliance on a single test, considering cultural factors, and understanding the limitations of age equivalents in predicting future performance. We'll explore issues of bias and cultural sensitivity.

Chapter 6: Recent Research and Advances in VMI Assessment: This chapter will review the latest research on VMI development, assessment methodologies, and new developments in the field. This will demonstrate the evolving nature of the assessment and its ongoing refinement.

Conclusion: This final section summarizes the key points of the ebook, reinforcing the importance of comprehensive assessment, ethical considerations, and the integration of VMI results within a holistic developmental perspective.

H1: Understanding the Beery VMI Age Equivalents

The Beery-Buktenica Developmental Test of Visual-Motor Integration (VMI) is a widely used assessment tool that measures the integration of visual perception and motor coordination skills in children. A key aspect of interpreting the Beery VMI is understanding its age equivalent scores. These scores represent the average performance of children at a specific chronological age. However, it's crucial to remember that age equivalents alone should not be the sole basis for diagnostic or intervention decisions. They should be considered within the larger context of the child's developmental history, overall performance on other assessments, and clinical observations.

H2: Interpreting Beery VMI Scores: Beyond Age Equivalents

While age equivalents provide a readily understandable benchmark, they have limitations. A more

comprehensive interpretation should involve analyzing:

Standard Scores: These scores compare the child's performance to the average performance of children of the same age group, expressing the result in terms of standard deviations from the mean. This provides a more precise and standardized measure of performance compared to age equivalents.

Percentile Ranks: This indicates the percentage of children of the same age who scored at or below the child's raw score. For example, a percentile rank of 75 means that the child scored better than 75% of children in their age group.

Subtest Scores: The Beery VMI has different subtests which offer a more detailed insight into the child's specific strengths and weaknesses in visual perception and motor skills. Analyzing these individual subtest scores is crucial for targeted interventions.

Qualitative Observations: Observations made during the administration of the test, such as the child's approach to the task, effort, and any signs of frustration, are crucial additional data for interpreting the results. These qualitative observations can provide invaluable insights that are not captured in numerical scores.

H3: Clinical Applications of Beery VMI Age Equivalents

The Beery VMI is frequently used in various settings, including:

Educational Psychology: Identifying children with learning disabilities, particularly those related to fine motor skills and handwriting (dysgraphia).

Developmental Pediatrics: Assessing developmental delays and planning appropriate interventions for children with suspected developmental disorders.

Occupational Therapy: Guiding therapeutic interventions designed to improve visual-motor skills and overall hand-eye coordination.

Neuropsychology: Evaluating the impact of neurological conditions on visual-motor integration abilities.

Clinicians use VMI age equivalents to determine if a child's visual-motor skills are within the normal range for their age or if they significantly deviate, indicating a need for further evaluation and intervention. However, it is important to note that the VMI is not a diagnostic test on its own. It is used in conjunction with other assessment tools and clinical observations to provide a comprehensive evaluation.

H4: Recent Research on Beery VMI

Recent research continues to explore the validity and reliability of the Beery VMI, investigate its use in diverse populations, and refine its application in various clinical settings. This research includes

studies focusing on:

Normative data updates: Ongoing research ensures that the norms and age equivalents used to interpret the test remain current and reflect the evolving development of children.

Cultural adaptations: Research efforts aim to develop culturally sensitive versions of the Beery VMI to ensure fair and accurate assessment across different cultural backgrounds.

Relationship with other developmental measures: Studies explore the correlations between VMI scores and other developmental measures, such as cognitive abilities, language skills, and academic achievement. This helps to better understand the multifaceted nature of child development.

Predictive validity: Investigations focus on whether VMI scores can predict future academic performance and functional outcomes, providing insights into the long-term implications of visual-motor difficulties.

H5: Practical Tips for Using Beery VMI Results

Consider the whole child: Never interpret VMI scores in isolation. Integrate them with other assessment information and clinical observations.

Focus on strengths and weaknesses: Identify specific areas where the child excels or struggles, informing targeted interventions.

Set realistic goals: Develop intervention plans based on the child's individual needs and abilities, focusing on achievable progress.

Monitor progress: Regularly assess the child's progress to evaluate the effectiveness of interventions and make adjustments as needed.

Collaborate with other professionals: Work closely with parents, educators, and other relevant professionals to ensure a coordinated approach to intervention.

FAQs:

1. What is the difference between raw score, age equivalent, and standard score in the Beery VMI? Raw scores are the number of items correctly answered. Age equivalents show the average performance for a given age. Standard scores compare performance to the average of a normative sample.

2. Can the Beery VMI diagnose a specific learning disability? No, the Beery VMI is not a diagnostic tool but a valuable assessment that helps identify visual-motor difficulties which might indicate further evaluation for learning disabilities.

3. What are some common interventions for children with low Beery VMI scores? Interventions can include occupational therapy, specific visual-motor activities, and adapted educational strategies.

4. How often should the Beery VMI be administered? The frequency depends on the child's needs and the goals of intervention. It's typically administered periodically to monitor progress.

5. Are there cultural considerations when interpreting Beery VMI results? Yes, cultural background can influence performance, emphasizing the need for culturally sensitive interpretations and avoiding generalizations.
6. What are the limitations of using age equivalents alone? Age equivalents can be misleading without considering other scores like standard scores and percentiles. They only show average performance, not individual potential.
7. How do I interpret a significant discrepancy between a child's chronological age and their VMI age equivalent? A significant discrepancy might indicate a need for further evaluation to rule out developmental delays or other underlying conditions.
8. Is the Beery VMI suitable for all age groups? The test has different versions suitable for various age ranges, typically from preschool through adulthood.
9. Where can I find more information and resources on the Beery VMI? Information is available through the publisher's website and various professional journals and organizations related to child development and educational psychology.

Related Articles:

1. Visual-Motor Integration and Academic Achievement: Explores the link between visual-motor skills and academic performance in different subjects.
2. Dysgraphia and the Beery VMI: Examines the relationship between dysgraphia and Beery VMI scores, highlighting diagnostic and intervention strategies.
3. The Role of Occupational Therapy in Improving VMI Skills: Details the various intervention strategies used by occupational therapists to enhance visual-motor skills.
4. Beery VMI and Developmental Delays: Focuses on how the Beery VMI is used to identify and address developmental delays in young children.
5. Comparing Beery VMI to Other Visual-Motor Assessments: Compares the Beery VMI with other assessment tools measuring visual-motor abilities.
6. Interpreting Beery VMI Results for Educators: Provides practical guidance for educators on understanding and using Beery VMI results in the classroom.
7. The Impact of Visual-Motor Deficits on Handwriting: Discusses the challenges faced by children with poor visual-motor skills in learning to write.
8. Longitudinal Studies of VMI Development: Reviews research exploring the development of visual-motor integration across childhood and adolescence.
9. Culturally Sensitive Assessment of Visual-Motor Skills: Addresses the importance of considering cultural factors in assessing and interpreting visual-motor abilities.

beery vmi age equivalent chart: The General Educator's Guide to Special Education Jody L. Maanum, 2009-03-26 Provides information on disability categories, the referral and placement process, teaching strategies, and behavioral adaptations to the curriculum.

beery vmi age equivalent chart: **Peabody Developmental Motor Scales** M. Rhonda Folio, 2000

beery vmi age equivalent chart: **Comparative Quantification of Health Risks: Sexual and reproductive health** Majid Ezzati, 2004 Provides a comprehensive assessment of the scientific evidence on prevalence and the resulting health effects of a range of exposures that are known to be hazardous to human health, including childhood and maternal undernutrition, nutritional and physiological risk factors for adult health, addictive substances, sexual and reproductive health risks, and risks in the physical environments of households and communities, as well as among workers. This book is the culmination of over four years of scientific enquiry and data collection, known as the comparative risk assessment (CRA) project.

beery vmi age equivalent chart: **Wrightslaw Special Education Legal Developments and Cases 2019** Peter Wright, Pamela Wright, 2020-07-10 Wrightslaw Special Education Legal Developments and Cases 2019 is designed to make it easier for you to stay up-to-date on new cases and developments in special education law. Learn about current and emerging issues in special education law, including: * All decisions in IDEA and Section 504 ADA cases by U.S. Courts of Appeals in 2019 * How Courts of Appeals are interpreting the two 2017 decisions by the U.S. Supreme Court * Cases about discrimination in a daycare center, private schools, higher education, discrimination by licensing boards in national testing, damages, higher standards for IEPs and least restrictive environment * Tutorial about how to find relevant state and federal cases using your unique search terms

beery vmi age equivalent chart: *Developmental Test of Visual Perception* Donald D. Hammill, Nils A. Pearson, Judith K. Voress, 1993 Measures both visual perception and visual-motor integration skills. For ages 4-10.

beery vmi age equivalent chart: **Assessment and Intervention for English Language Learners** Susan Unruh, Nancy A. McKellar, 2017-03-07 This book presents evidence-based practices for appropriate assessment of and school-based services for young English language learners. It identifies and addresses the challenges of assessing and intervening with these students at the curricular, instructional, environmental, and individual levels, particularly the complexities of determining the presence or absence of learning disabilities. Case studies and comparisons with fluent English speakers illustrate the screening and evaluation process – including multi-tier system of supports (MTSS) and response to intervention (RTI) – and proactive intervention planning in core literacy and math domains. Together, these chapters model effective teaching practice, advocacy, and teamwork with parents and colleagues as well as policy development toward meeting the needs of this diverse student population. This invaluable guide: Examines challenges of data collection when working with English language learners. Traces the development of dual-language fluency and competence. Discusses language-acquisition issues affecting oral language assessment. Reviews commonly used assessment and intervention tools in use with English learners. Features specialized chapters relating to reading, writing, and mathematics competencies. Can be used regardless of first language spoken by students. *Assessment and Intervention for English Language Learners* is an essential resource for researchers, professionals, and graduate students in diverse fields including school and clinical child psychology; assessment, testing, and evaluation; language education; special education; and educational psychology.

beery vmi age equivalent chart: NEPSY-II Marit Korkman, Ursula Kirk, Sally Kemp, 2007

beery vmi age equivalent chart: *Occupational Therapy Practice Guidelines for Early Childhood* Gloria Frolek Clark, Karrie Kingsley, 2013-01-01 Currently in the United States, 20% of children ages 6 years or younger live in poverty. Poor children have fewer opportunities than their peers to resources that are important for child development. At the same time, the prevalence of developmental disabilities has increased to 1 in every 6 children. Early identification of

developmental delays is critical, and more than half of all American parents do not know the warning signs. Occupational therapy professionals in early intervention and preschool practice can provide the necessary services to support children's health in early childhood. This Practice Guideline explains the occupational therapy process for young children--and their families, caregivers, and teachers--which includes evaluation, intervention, and outcomes planning to enhance a child's occupational performance, adaptation, health and wellness, community participation, role competence, and self-advocacy. Topics include social-emotional development; feeding, eating, and swallowing; cognitive and motor development; service delivery; autism; obesity, cerebral palsy; and parent training. This work can help occupational therapy practitioners, as well as those who manage, reimburse, or set policy regarding occupational therapy services, understand the contribution of occupational therapy in evaluating and serving young children. This guideline can also serve as a resource for parents, school administrators, educators, and other early childhood staff.

beery vmi age equivalent chart: Encyclopedia of Autism Spectrum Disorders Fred R. Volkmar, 2016

beery vmi age equivalent chart: *Prevention, Recognition and Management of Fetal Alcohol Spectrum Disorders* Raja A. S. Mukherjee, Neil Aiton, 2021-07-31 This book presents clinical assessment and management solutions for those people who are exposed to Alcohol in Pregnancy. Over the last few decades we have begun to understand the enduring effects of prenatal alcohol exposure on the developing fetus. The consequence of prenatal alcohol exposure - Fetal Alcohol Spectrum Disorders is a lifelong disorder and affects children and adults. It is a condition which is significantly under-recognised for many reasons. Assessment and diagnosis requires the input of multiple different professionals, and referral pathways are often poorly developed or non-existent. Information to support and guide these professionals in practical ways, what to do and how to help, remains limited. This book seeks to fill some of that gap by offering professionals, clear and useable research-based information and guidance that will help in their practice whilst also being a useful resource for anyone new to this increasingly recognised area of work. The book is divided into four broad areas bringing together chapters authored by experts in their field including those with lived experiences. Part one focuses on presenting an overview of the condition, and approaching women about their alcohol use and risk followed by part two focusing more around diagnostic issues. Part three follows with management advice, and part four revolves around policy and health prevention in general. Each chapter is designed to offer insight but also practical tips and support in an accessible manner. The book offers an essential guide for a broad range of health and social care professionals working with this condition.

beery vmi age equivalent chart: The Infant Motor Profile Mijna Hadders-Algra, Kirsten R Heineman, 2021-03-03 The Infant Motor Profile is a practical manual on a new, evidence-based method to assess infant motor behaviour. Not only looking at what milestones the infant has reached, but also paying attention to the quality of motor behaviour – how the infant moves – this text provides professionals involved in the care of infants at risk of developmental disorders with information on five domains of motor behaviour: variation, adaptability, symmetry, fluency, and performance. Backed up by extensive, up-to-date research, it includes percentile curves so that professionals can easily interpret the infants' scores. The profile created from the assessment informs about the infant's current condition and their risk of developmental disorders, as well as providing suggestions for early intervention, tailored to the strengths and limitations of the infant. Used over time, it can be an excellent instrument to monitor the infant's developmental progress. Illustrated with numerous figures and accompanied by a website hosting over 100 video clips, this text is an essential read for professionals in developmental paediatrics, including paediatric physiotherapists, occupational therapists, developmental paediatricians, neuropaediatricians, and paediatric psychiatrists.

beery vmi age equivalent chart: Developmental Test of Visual-motor Integration Keith E. Beary, Norman A. Buktenica, 1920 Developmental.

beery vmi age equivalent chart: Assessment of Autism Spectrum Disorder Anna P.

Kroncke, Marcy Willard, Helena Huckabee, 2016-02-09 This book offers clear best-practice guidelines for the assessment of Autism Spectrum Disorder. It discusses both the rising rates of autism and the growing need for appropriate, effective treatments and services. The book examines measures and methods used in assessing for core symptoms of ASD as well as memory, attention, visual and spatial skills, and other areas relevant to autism assessment. In-depth material on differential diagnosis and a range of comorbid conditions depict the complexities of the assessment process and the necessity of accurate identification. The book's case vignettes and sample recommendations add practical and personal dimensions to issues and challenges surrounding diagnosis. Topics featured include:

- A practical guide to the comprehensive assessment process.
- Discussion of the assessment process from referral to recommendation.
- Diagnostic framework for ASD and other disorders
- School-based ASD eligibility evaluation.
- Assessment across the lifespan.

Assessment of Autism Spectrum Disorder is an important tool for clinicians, practitioners, researchers and graduate students in the fields of child and school psychology, behavioral therapy, and social work as well as the related areas of psychiatry, pediatrics, forensic psychology, and educational and healthcare policy.

beery vmi age equivalent chart: Pediatric Neuropsychiatry Aaron J. Hauptman, Jay A.

Salpekar, 2018-10-26 Adult neuropsychiatry is now a well-established field with numerous reputable references. Practitioners who work with children routinely note how references and practitioners knowledgeable in the equivalent work in the pediatric world are rare. Child psychiatrists and neurologists frequently work with individuals struggling with these conditions and would strongly benefit from such a reference that incorporates medical work-up, psychopharmacological recommendations, family/support recommendations and theoretical pathophysiology. Pediatricians and developmental pediatricians often treat children with behavioral and neuropsychiatric sequelae, but are not well-trained in the neuropsychiatric management of these cases. Neuropsychologists and educational psychologists working with children and adults with pediatric-onset conditions will also find the text helpful to contextualize their cases, better-understand the medical evaluation and management and perhaps adjust recommendations that would supplement their own testing methods. Finally, sub-specialists in adult neurology, psychiatry and neuropsychiatry often find themselves working with these children by default as there are few pediatric subspecialists who are available to accept them into practice. When facing complex neuropsychiatric illness in children, many clinicians are stymied because they may have "never seen a case like that". This text fills the wide gap that currently exists and helps move this field forward. The approach utilized in adult neuropsychiatry that is both clear and accessible does not yet have an equivalent in the pediatric realm, but there is tremendous interest in its development. Children and adolescents with neuropsychiatric conditions are very common and they and their caregivers often struggle to find professionals well educated in this field. Ultimately, a wide range of clinicians will find this text to be a very helpful resource for diagnosis and management in the spectrum of pediatric neuropsychiatric conditions. The case-based approach is also unique with respect to neuropsychiatric approaches, and the clear cut, reader-friendly approach of such a format would likely be well-received among physicians looking for a resource on this issue.

beery vmi age equivalent chart: The Spastic Forms of Cerebral Palsy Adriano Ferrari,

Giovanni Cioni, 2009-12-29 by A. Berthoz The publication of this volume, edited by Adriano Ferrari and Giovanni Cioni, is a major event for several reasons. Most importantly, it concerns an area of child pathology that has yet to be fully explored. In this context, the authors' efforts to compile their observations as well as those of other clinicians and to elaborate their theories have resulted in an essential step in the field of cerebral palsy (CP). The originality of the book is its very clear focus, while at the same time the authors have encouraged the book's contributors to express their ideas and personal opinions. This leads sometimes to redundancy, but this is precisely one of the benefits of the book - cause the same problems are then exposed from different points of views. The reader is thus spared the normative attempts of many other pathology books, in which the complexity of a

given disease is hidden by the authors' or editors' desire to impose a rigid taxonomic or epidemiology.

beery vmi age equivalent chart: Test of Language Development-2 Donald D. Hammill, 1988 Measures language skills in the areas of both listening and speaking, including visual and oral vocabulary, word articulation and discrimination, grammar, and comprehension. Primary for children ages 4 to 8, intermediate for ages 8 to 12.

beery vmi age equivalent chart: Beginning to Read and the Spin Doctors of Science Denny Taylor, 1998 Suggesting that the contention that phonemic awareness must be taught directly and that children need explicit systematic instruction in phonics is less of a scientific fact than an exercise in political persuasion, this book presents the story of the political campaign that is taking place to change the minds of Americans about how young children learn to read. The book begins with a close look at the empirical research being used to support a massive shift in the national understandings about language, literacy, and learning and concludes by revealing the ways in which research studies on early reading instruction are being used by the federal and state governments to support a new methodology that has turned early reading instruction into a massive business of unprecedented commercial worth. The chapters in the book are: (1) In Which We Are Told Training in Phonemic Awareness Is the Key to Reading Success; (2) In Which Phonemic Awareness Research Is Analyzed from an Experimental Psychological Perspective; (3) In Which Phonemic Awareness Research Is Analyzed from a Sociocultural Perspective; (4) In Which We Find Foorman's Research Does Not Support the NICHD [National Institute of Child Health and Human Development] Proposition That Phonological Processing Is the Primary Area Where Children with Reading Difficulties Differ from Other Children; (5) In Which Teachers Are Turned into Clerks and We Discuss Power, Privilege, Racism and Hegemony; (6) In Which Governor Bush's Business Council Holds a Pre-Summit Meeting in Texas; (7) In Which We Have an If-They-Say-It's-So-It-Must-Be-So Attitude toward Experimental Research; (8) In Which the Kindergarten Children in North Carolina Are No Longer Expected To Try To Read and Write; (9) In Which I Become the Documentation on Which I Build My Case; (10) In Which We Are Told That in America We Are All Equal. Are We or Aren't We?; (11) In Which We Find the Desks and Chairs Are Broken and the Toilets Don't Work; (12) In Which We Ask: Do You Think America Likes Children?; (13) In Which We Consider If We Are Comfortable Mandating Reading Programs based on Neuroimaging Research and Genetic Studies of Reading Disabilities; (14) In Which California Politically Reinvents How Young Children Learn To Read; (15) In Which California Ends Local Control and the State Board of Education Leads the Jihad; and (16) In Which We Enter the Central Chamber of the Hegemonic Labyrinth. (Contains approximately 250 references; an appendix that offers a response to preliminary statistical analyses used to support the nationally publicized findings of the NICHD Houston reading studies, and an appendix that offers late-breaking news about the NICHD Houston reading studies are attached.) (RS)

beery vmi age equivalent chart: Technological Innovation for Applied AI Systems Luis M. Camarinha-Matos, Pedro Ferreira, Guilherme Brito, 2021-06-30 This book constitutes the refereed proceedings of the 12th IFIP WG 5.5/SOCOLNET Advanced Doctoral Conference on Computing, Electrical and Industrial Systems, DoCEIS 2021, held in Costa de Caparica, Portugal, in July 2021.* The 34 papers presented were carefully reviewed and selected from 92 submissions. The papers present selected results produced in engineering doctoral programs and focus on technological innovation for industry and service systems. Research results and ongoing work are presented, illustrated and discussed in the following areas: collaborative networks; smart manufacturing; cyber-physical systems and digital twins; intelligent decision making; smart energy management; communications and electronics; classification systems; smart healthcare systems; and medical devices. *The conference was held virtually. Chapters "Characteristics of Adaptable Control of Production Systems and the Role of Self-organization Towards Smart Manufacturing" and "Predictive Manufacturing: Enabling Technologies, Frameworks and Applications" are available open access under a Creative Commons Attribution 4.0 International License via link.springer.com.

beery vmi age equivalent chart: Children with Developmental Coordination Disorder David

Sugden, Mary Chambers, 2005-01-28 The term Developmental Coordination Disorder (DCD) is used to describe a group of children who have difficulty with tasks involving movement such that it interferes with their daily living or academic progress. As with other developmental disorders such as autistic spectrum disorder, attention deficit disorder and dyslexia, DCD is now a prominent concern of both researchers and practitioners. This text is aimed at both researchers and professionals who work in a practical manner with the condition and includes professionals in health, occupational therapists, physiotherapists, health visitors, paediatricians, and - in the educational field - teachers and others who are in daily contact with the children - their parents. The essence of the text is that work with children should be guided by research evidence driving the clinical practice which in turn raises more questions for research. The authors in this text have both experience in research and are engaged in the day-to-day clinical work with children and bring both of these to bear in the chapters they have written.

beery vmi age equivalent chart: Practical Guide to Child and Adolescent Psychological Testing Nancy E. Moss, Lauren Moss-Racusin, 2021-05-24 This book explains the psychological assessment process and reviews the origins of psychological testing, referral and testing processes, and prominent psychological assessment instruments. Most important, this book details how to evaluate testing data and use them to understand an individual's needs and to inform interventions and treatments. This book addresses specific domains of psychological assessment, including: · Intelligence and academic achievement. · Speech-language and visual-motor abilities. · Memory, attention/concentration, and executive functioning. · Behavioral and social-emotional functioning. · Developmental status. Practical Guide to Child and Adolescent Psychological Testing is an essential resource for clinicians, primary care providers, and other practitioners as well as researchers, professors, and graduate students in the fields of child, school, and developmental psychology, pediatrics and social work, child and adolescent psychiatry, primary care medicine, and related disciplines.

beery vmi age equivalent chart: Pediatric Primary Care - E-Book Catherine E. Burns, Ardys M. Dunn, Margaret A. Brady, Nancy Barber Starr, Catherine G. Blosser, Dawn Lee Garzon, 2016-03-02 Get an in-depth look at pediatric primary care through the eyes of a Nurse Practitioner! Pediatric Primary Care, 6th Edition guides readers through the process of assessing, managing, and preventing health problems in infants, children, and adolescents. Key topics include developmental theory, issues of daily living, the health status of children today, and diversity and cultural considerations. This sixth edition also features a wealth of new content and updates — such as a new chapter on pediatric pharmacology, full-color design and illustrations, new QSEN integration, updated coverage of the impact of the Affordable Care Act, a refocused chapter on practice management, and more — to keep readers up to date on the latest issues affecting practice today. Comprehensive content provides a complete foundation in the primary care of children from the unique perspective of the Nurse Practitioner and covers the full spectrum of health conditions seen in the primary care of children, emphasizing both prevention and management. In-depth guidance on assessing and managing pediatric health problems covers patients from infancy through adolescence. Four-part organization includes 1) an introductory unit on the foundations of global pediatric health, child and family health assessment, and cultural perspectives for pediatric primary care; 2) a unit on managing child development; 3) a unit on health promotion and management; and 4) a unit on disease management. Content devoted to issues of daily living covers issues that are a part of every child's growth — such as nutrition and toilet training — that could lead to health problems unless appropriate education and guidance are given. Algorithms are used throughout the book to provide a concise overview of the evaluation and management of common disorders. Resources for providers and families are also included throughout the text for further information. Expert editor team well is well-versed in the scope of practice and knowledge base of Pediatric Nurse Practitioners (PNPs) and Family Nurse Practitioners (FNPs).

beery vmi age equivalent chart: Developmental Disabilities in Infancy and Childhood: Neurodevelopmental diagnosis and treatment Arnold J. Capute, Pasquale J. Accardo, 1996 The

second edition, now in two volumes rather than one, contains some 30 new chapters addressing a greatly increased number of topics and range of issues, from a variety of disciplines. The first volume offers discussion of general issues in the theory, assessment, and treatment of developmental dis

beery vmi age equivalent chart: *Pediatric Rehabilitation* Dennis J. Matthews, MD, 2015-05-28 Named a Doody's Core Title in 2012 and 2013! Widely acknowledged as the cornerstone reference in the field, *Pediatric Rehabilitation* brings together renowned specialists from all sectors of the pediatric rehabilitation community to provide the most current and comprehensive information available. The fifth edition has been substantially updated and expanded with evidence-based discussions of new theories, therapies, interventions, research findings, and controversies. Five completely new chapters focus on such emerging areas as the use of ultrasound to guide motor point and nerve injections, rehabilitation of chronic pain and conversion disorders, management of concussions, sports injuries, and neurodegenerative and demyelinating diseases in children. This edition also addresses important new directions in genetic markers and tests, cognitive, developmental, and neuropsychological assessment, and rehabilitation for common genetic conditions. Additionally, several new contributors provide fresh perspectives to the voices of established leaders in the field. The text covers all aspects of pediatric rehabilitation medicine from basic examination and testing to electrodiagnosis, therapeutic exercise, orthotics and assistive devices, gait labs, aging with pediatric onset disability, and in-depth clinical management of the full range of childhood disabilities and injuries. 'Pearls and Perils' featured throughout the book underscore crucial information, and illustrations, summary tables, information boxes, and lists contribute to the text's abundant clinical utility. New to the Fifth Edition: Every chapter has been thoroughly revised and expanded to reflect current thinking and practice Evidence-based discussions of new theories, therapies, interventions, research findings, and areas of controversy Five entirely new chapters illuminating emerging areas: rehabilitation of chronic pain and conversion disorders, ultrasound-guided injections, concussion management, sports injuries, and neurodegenerative and demyelinating diseases in children

beery vmi age equivalent chart: *Handbook of Nonverbal Assessment* R. Steve McCallum, 2013-06-29 The goal of this Handbook is to describe the current assessment strategies and related best practices to professionals who serve individuals from diverse cultures or those who have difficulty using the English language. It will be a valuable resource for school psychologists, special educators, speech and hearing specialists, rehabilitation counselors, as well as graduate-level students of school psychology and child and family psychology.

beery vmi age equivalent chart: *Epilepsy Board Review* Mohamad Z. Koubeissi, Nabil J. Azar, 2017-06-27 This concise text mirrors the content of the Epilepsy Board as distributed by the American Board of Psychiatry and Neurology. Epilepsy diagnosis, classification and treatment are thoroughly covered, along with seizure classification, epidemiology, normal and abnormal EEG, and treatment with antiepileptic medications and other modalities. Formatted with multiple choice questions and explanations, this complete resource will prepare physicians and students for the Epilepsy Board examination and provide the latest clinical approaches.

beery vmi age equivalent chart: *Cognition and Cancer* Christina A. Meyers, James R. Perry, 2012-12-13 This book is a unique resource on the influence cancer and cancer treatments have on cognition. The majority of cancer patients on active treatment experience cognitive impairments often referred to as 'chemobrain' or 'chemofog'. In addition, patients with primary or metastatic tumors of the brain often experience direct neurologic symptoms. This book helps health care professionals working with cancer patients who experience cognitive changes and provides practical information to help improve care by reviewing and describing brain-behavior relationships; research-based evidence on cognitive changes that occur with various cancers and cancer treatments; assessment techniques, including neurocognitive assessment and neuroimaging techniques; and intervention strategies for affected patients. In short, it will explain how to identify, assess and treat these conditions.

beery vmi age equivalent chart: Intervention with Aggressive Children John Lochman, Caroline Boxmeyer, 2013-12-10 This workshop is focused on a school-based group intervention for children who have difficulty controlling their anger and aggressive behavior. Dr. Lochman describes the research supporting his group-based program for children with aggression problems. He and Dr. Boxmeyer give a session by session review of how to conduct Coping Power. They also demonstrate techniques for Coping Power using case examples, videos, and role-plays. Techniques described include teaching children how to identify feelings, solve problems, accomplish goals, and more. Lastly, Dr. Lochman describes how to implement the parent component of Coping Power.

beery vmi age equivalent chart: Magnetoencephalography Selma Supek, Cheryl J. Aine, 2014-08-07 Magnetoencephalography (MEG) is an invaluable functional brain imaging technique that provides direct, real-time monitoring of neuronal activity necessary for gaining insight into dynamic cortical networks. Our intentions with this book are to cover the richness and transdisciplinary nature of the MEG field, make it more accessible to newcomers and experienced researchers and to stimulate growth in the MEG area. The book presents a comprehensive overview of MEG basics and the latest developments in methodological, empirical and clinical research, directed toward master and doctoral students, as well as researchers. There are three levels of contributions: 1) tutorials on instrumentation, measurements, modeling, and experimental design; 2) topical reviews providing extensive coverage of relevant research topics; and 3) short contributions on open, challenging issues, future developments and novel applications. The topics range from neuromagnetic measurements, signal processing and source localization techniques to dynamic functional networks underlying perception and cognition in both health and disease. Topical reviews cover, among others: development on SQUID-based and novel sensors, multi-modal integration (low field MRI and MEG; EEG and fMRI), Bayesian approaches to multi-modal integration, direct neuronal imaging, novel noise reduction methods, source-space functional analysis, decoding of brain states, dynamic brain connectivity, sensory-motor integration, MEG studies on perception and cognition, thalamocortical oscillations, fetal and neonatal MEG, pediatric MEG studies, cognitive development, clinical applications of MEG in epilepsy, pre-surgical mapping, stroke, schizophrenia, stuttering, traumatic brain injury, post-traumatic stress disorder, depression, autism, aging and neurodegeneration, MEG applications in cognitive neuropharmacology and an overview of the major open-source analysis tools.

beery vmi age equivalent chart: WISC-III Clinical Use and Interpretation Aurelio Prifitera, Donald H. Saklofske, 1998-01-09 The WISC-III is the most frequently used IQ assessment technique in the United States. This book discusses the clinical use of the WISC-III with respect to specific clinical populations, and covers research findings on the validity and reliability of the test. It also includes standardization data from the Psychological Corporation. Many of the contributors participated in the development of the WISC-III and are in a unique position to discuss the clinical uses of this measure. The book describes the WISC-III from scientist-practitioner perspectives. It provides methods to aid in understanding and interpreting the WISC-III results for various groups of exceptional children. The book also presents detailed descriptions of behavior and achievement as well as recommendations for test interpreting standards. WISC-III Clinical Use and Interpretation has immediate and practical relevance to professionals who administer, interpret, or use the results of the WISC-III. The solid writing by leading experts makes the contents of this book an essential reference for WISC-III users. - Leading experts discuss the clinical use of the WISC-III - Thorough coverage of the literature with many new findings - Covers wide range of exceptionalities from AD/HD to learning disabilities - Direct relevance to practitioners, researchers, and trainers

beery vmi age equivalent chart: Bender Gestalt Screening for Brain Dysfunction Patricia Lacks, 1999 Five new chapters address issues in neuropsychological screening, eight steps to interpretation of test results, and use of the Bender Gestalt Test with children, adolescents, and older adults. The book serves as a comprehensive manual for the administration, scoring, and interpretation of the Bender Gestalt Test. The diagnostic significance of general and specific behavioral observations is stressed and a format for recording them is included. For scoring, there

are descriptions and multiple examples within the author's adaptation of the 12 errors of the Hutt and Briskin scoring system. The reader can use the 12 varied clinical case examples with explication of the scoring and 10 additional practice cases to gain rapid scoring facility and accuracy. Norms are provided for adult non-patients and psychiatric inpatients, nonpatient and demented older adults, and adolescents.

beery vmi age equivalent chart: The Handwriting Speed Test Margaret Anne Wallen, Mary-Ann Bonney, Lyn Lennox, 1996

beery vmi age equivalent chart: From Gesture to Language in Hearing and Deaf Children Virginia Volterra, 1994 In 21 essays on communicative gesturing in the first two years of life, this vital collection demonstrates the importance of gesture in a child's transition to a linguistic system. Introductions preceding each section emphasize the parallels between the findings in these studies and the general body of scholarship devoted to the process of spoken language acquisition. Renowned scholars contributing to this volume include Ursula Bellugi, Judy Snitzer Reilly, Susan Goldwin-Meadow, Andrew Lock, M. Chiara Levorato, and many others.

beery vmi age equivalent chart: Teaching Special Students in General Education Classrooms Rena B. Lewis, Donald H. Doorlag, 1999 This book is designed to prepare teachers to effectively teach the range of students found in typical elementary and secondary classrooms. It covers four groups of students with special needs: students with disabilities, gifted and talented learners, culturally and linguistically diverse students, and students at risk of failure.

beery vmi age equivalent chart: Disruptive Behavior Disorders Patrick H. Tolan, Bennett L. Leventhal, 2013-07-09 Aggressive behavior among children and adolescents has confounded parents and perplexed professionals—especially those tasked with its treatment and prevention—for countless years. As baffling as these behaviors are, however, recent advances in neuroscience focusing on brain development have helped to make increasing sense of their complexity. Focusing on their most prevalent forms, Oppositional Defiant Disorder and Conduct Disorder, Disruptive Behavior Disorders advances the understanding of DBD on a number of significant fronts. Its neurodevelopmental emphasis within an ecological approach offers links between brain structure and function and critical environmental influences and the development of these specific disorders. The book's findings and theories help to differentiate DBD within the contexts of normal development, non-pathological misbehavior and non-DBD forms of pathology. Throughout these chapters are myriad implications for accurate identification, effective intervention and future cross-disciplinary study. Key issues covered include: Gene-environment interaction models. Neurobiological processes and brain functions. Callous-unemotional traits and developmental pathways. Relationships between gender and DBD. Multiple pathways of familial transmission. Disruptive Behavior Disorders is a groundbreaking resource for researchers, scientist-practitioners and graduate students in clinical child and school psychology, psychiatry, educational psychology, prevention science, child mental health care, developmental psychology and social work.

beery vmi age equivalent chart: Manual of Developmental Diagnosis Hilda Knobloch, Frances M. Stevens, Anthony F. Malone, 1980

beery vmi age equivalent chart: Benton Visual Retention Test Abigail Benton Sivan, Arthur Lester Benton, 1992

beery vmi age equivalent chart: Delhi Psychiatry Journal , 2009

beery vmi age equivalent chart: Goldman Fristoe 2 Ronald Goldman, Macalynne Fristoe, Kathleen T. Williams, 2000 Issued for use as a kit, consisting of 4 components, tracks articulation skills from preschool through primary and secondary school years and into young adulthood.

beery vmi age equivalent chart: Occupational Therapy for Children and Adolescents Jane Case-Smith, Jane Clifford O'Brien, 2015 This text covers everything occupational therapists need to know about therapy for children. The book focuses on children at many ages and stages in development, comprehensively addressing both treatment techniques and diagnoses settings.

beery vmi age equivalent chart: Preferences for Activities of Children Gillian A. King, 2004 Two sets of testing materials to be used separately or together in assessing participation by

physically disabled children and youth, ages 6 to 21 years. The exams may be self-administered with the assistance of parent or care-giver or they may be administered by an interviewer. These exams were developed using the conceptual framework of the World Health Organization's International classification of functioning, disability and health.

Back to Home: <https://new.teachat.com>